



Page: 1 of 5

Product Name ZAPP

1. Identification

Company Name

GHS Product

Identifier

Hunters Products (TAS) Pty. Ltd. (ABN 004 601 263)

Address 60 Gleadow Street INVERMAY

ZAPP

TAS 7248 AUSTRALIA

 Telephone/Fax
 Tel:
 03
 6331
 4755

 Number
 Fax:
 03
 6334
 1065

 Emergency phone
 0407
 610
 542

number

Recommended use of As a grill, plate and oven cleaner. the chemical and Use as directed on the product label.

restrictions on use

2. Hazard Identification

GHS classification of Acute Toxicity - Oral: Category 4

the Skin Corrosion/Irritation: Category 1B

substance/mixture

Signal Word (s) DANGER

Hazard Statement (s) H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary P102 Keep out of reach of children.

statement - General P103 Read label before use.
Pictogram (s) Corrosion, Exclamation mark





Precautionary statement - P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash contaminated skin thoroughly after handling.

Prevention P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary statement – Response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

Precautionary statement – Storage

P405 Store locked up.

Precautionary statement – Disposal

P501 Dispose of contents/container in accordance with local regulations

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
9	Potassium hydroxide	1310-58-3	10-30 %	
	Sodium hydroxide	1310-73-2	0-10 %	
	Disodium metasilicate	6834-92-0	0-10 %	

Print Date: 6/12/2020 CS: 3.4.18





Page: 2 of 5

to 100%

Product Name ZAPP

Ingredients determined

not to be hazardous, including water.

4. First-aid measures

Inhalation Remove from exposure. If aspirated into the lungs, obtain immediate medical

attention.

Ingestion Immediately rinse mouth with water. Do NOT induce vomiting. Give a glass of

water to be taken slowly. Seek immediate medical attention.

Skin Remove all contaminated clothing and immediately wash affected area with

plenty of water. If swelling, redness, blistering or irritation occurs, seek

medical advice.

Eye contact Hold eyes open and flood with running water for at least 15 minutes, bathe

eyes with soothing eyedrops or sterile saline, urgently seek medical

attention. Transport to hospital or medical centre.

Advice to Doctor Product is a mixture containing a moderate proportion of potassium hydroxide.

Corrosive by all routes. Risk of serious eye damage. If swallowed, may cause

holes in stomach and intestines; gastric lavage may be contraindicated.

Contact Poisons Information Centre.

5. Fire-fighting measures

Suitable Use extinguishing media appropriate to surrounding fire.

extinguishing media

Hazards from Water vapour, carbon dioxide, oxides of nitrogen. Incomplete combustion may generate carbon monoxide.

Combustion Products

Specific Methods In case of small fire/explosion use water. In case of major emergency use PPE:

breathing apparatus and protective gloves.

Specific hazards arising from the

chemical

Not flammable. Contact with aluminium, tin, zinc or galvanised iron may generate hydrogen, a flammable gas. Will react vigorously or violently with

acids, generating much heat, and giving off carbon dioxide, a simple asphyxiant. Contact with ammonium compounds will generate ammonia, a

poisonous gas.

Contain.

Hazchem Code 2R

6. Accidental release measures

Emergency Procedures

G 'II O D'

Spills & Disposal For large spills:

Contain spillages with sand or earth. Transfer both liquid and solids to

suitable container(s). Treat residues as for small spills.

For small spills:

If local regulations permit, mop up with plenty of water and run to waste, diluting greatly with running water. Otherwise, absorb on inert absorbent and transfer to suitable container. Wash site of spillage thoroughly with water

and detergent. Ventilate area to dispel any residual vapours.

7. Handling and storage

Conditions for safe storage, including any incompatibilities

exposure limit values

Store in cool place in original container. Store away from oxidisers, acids and foodstuffs. Keep containers closed when not in use. Store out of reach of children. Large quantities should be stored in a bunded area. Do not mix with other chemicals. Clean up all spills and splashes promptly; avoid secondary

accidents.

Unsuitable Materials Incompatibles: Acids, active metals (such as aluminium, tin, zinc), ammonium compounds, combustible materials, nitro compounds, organic halogen compounds.

8. Exposure controls/personal protection

Occupational Name STEL TWA

Print Date: 6/12/2020 CS: 3.4.18





3 of 5 Page:

Infosafe No™ VAR7U Issue Date : December 2020 ISSUED by HUNTERST

Product Name ZAPP

<u>mg/</u>m3 Footnote mg/m3 ppm ppmPotassium hydroxide 2 limitation Sodium hydroxide Peak limitation

Appropriate engineering controls

In very confined spaces have sufficient ventilation. Do not atomise the product. Do not enter confined spaces where vapours may have acculumated. Keep containers closed when not in use. Do not decant in unlabelled bottles. Avoid using aluminium, tin, zinc, galvanised iron, wood or wood products as

materials of construction.

Personal Protective Equipment

Avoid contact with skin and eyes. Avoid breathing aerosols. Personal protection to be selected from those recommended below, as appropriate to mode

of use, quantity handled and degree of hazard:-

Normal Use:

Eye/face protection Gloves, rubber or plastic. Industrial Quantities:

Face shield or safety glasses Gloves, rubber or plastic Plastic apron, sleeves and boots

Impervious overalls.

Always maintain a high level of personal hygiene when using cleaning chemicals. That is wash hands before eating, drinking, smoking or using the

9. Physical and chemical properties

Liquid Form

Clear, almost colourless, mobile liquid. **Appearance**

Odourless. Odour **Boiling Point** approx. 100C

Solubility in Water Miscible with water in all proportions.

1.3 **Specific Gravity** >13 pН **Flash Point** None

Not flammable. Flammability

Very alkaline mixture. Will react vigorously or violently with acids or acidic **Other Information**

> compounds. Corrodes active metals, such as aluminium, tin or zinc, generating hydrogen, a flammable gas. Contact with ammonium compounds may generate ammonia, a toxic gas. Will absorb carbon dioxide from the air, forming

carbonates. May react with organic halogen compounds, especially

trichloroethylene. May form shock-sensitive salts with nitro compounds. Will attack wood and wood products. May attack glass on prolonged contact. Slippery

when spilled.

10. Stability and reactivity

Chemical Stability Stable under normal use conditons.

Incompatible materials, prolonged exposure to air. **Conditions to Avoid**

Incompatible Materials

Acids and acidic compounds, active metals, ammonium compounds, glass, nitro

compounds, organic halides, wood and paper products.

Oxides of potassium and sodium. Hazardous

Decomposition Products

Hydrogen gas is generated when undiluted material contacts aluminium, zinc or Possibility of tin. May react violently with acids. May generate ammonia from ammonium hazardous reactions

compounds. May react violently with organic halides. May form shock-sensitive

salts with nitro compounds.

Print Date: 6/12/2020 CS: 3.4.18





5 Page: 4 of

Infosafe No™ VAR7U Issue Date : December 2020 ISSUED by HUNTERST

Product Name ZAPP

11. Toxicological Information

Acute Toxicity - Oral T.D.5.0 Potassium Hydroxide: 273mg/kg oral, rabbit

Sodium Hydroxide: 140-340 mg/kg oral, rat

Sodium metasilicate: 1,153 mg/kg oral, rat.

Corrosive. May cause serious burns to the mouth, throat and gastrointestinal Ingestion

system. May cause a burning pain in the throat and epigastrium, nausea, vomiting, abdominal pains and diarrhoea (occasionally bloody), fall in blood

pressure, death. May cause burns and perforation of the stomach and

intestines, and the sites of subsequent scaring have been associated with the

development of stomach cancer.

An unlikely route owing to the low volatility of ingredients. Inhalation of Inhalation

aerosols may cause serious lung damage, and pulmonary oedema (fluid build-up

in the lungs). Onset of symptoms may be delayed.

Skin Corrosive to skin - may cause skin burns. Skin contact often does not cause

> pain, thus care should be taken to avoid contamination of gloves and footwear. Repeated or prolonged contact may lead to irritant contact dermatitis. Mists

or aerosols may cause small burns.

Corrosive. Risk of serious eye damage, and permanent impairment of sight. May Eye

cause redness, pain and blurred vision. Liquid splashes into the eye may

rapidly cause severe tissue damage and deep burns.

Chronic Effects Long term, low level exposure can lead to irritation of skin, lungs, nose,

throat and mouth.

12. Ecological information

Harmful to aquatic organisms. **Ecotoxicity**

No data.

Persistence and

degradability

Readily transported by water. Mobility

Environmental

Protection

Avoid contaminating waterways, drains, sewers, or ground.

13. Disposal considerations

Waste Disposal Land fill, incineration, sewer (small quantities). Refer to Land Waste

Management Authority in your State.

Avoid disposal to natural waters or the environment. **Product Disposal**

Container Disposal Do not use containers of aluminium, tin, zinc, galvanised iron, or glass.

Special precautions

Unsuitable for incineration.

for landfill or

May be unsuitable for some landfill sites.

incineration

14. Transport information

Classified as a Class 8 Dangerous Good. Dangerous Goods of Class 8 Corrosives **Transport** Information

are incompatible in a placard load with any of the following: - Class 1, Class

Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids and Class 7. Store away from acids.

1719 U.N. Number

name

CAUSTIC ALKALI LIQUID, N.O.S.

Transport hazard

UN proper shipping

class(es)

2R Hazchem Code **Packing Group** ΙI 8A1 **EPG Number**

IERG Number 37

Print Date: 6/12/2020 CS: 3.4.18





5 of 5 Page:

Infosafe No™ VAR7U Issue Date : December 2020 ISSUED by HUNTERST

Product Name ZAPP

15. Regulatory information

Poisons Schedule S6

AICS (Australia) All components listed.

16. Other Information

Date of preparation or last revision of

5/12/2020

SDS

Literature References

Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice

Standard for the Uniform Scheduling of Medicines and Poisons

Australian Code for the Transport of Dangerous Goods by Road & Rail

Globally Harmonised System of classification and labelling of chemicals

Signature of Preparer/Data

Service

Technical Manager 0407 610 542

Technical Contact

Emergency Advice All Hours:

Numbers

Technical Manager: 0407 610 542 Mon-Fri 8am - 6pm

Poisons Information Centre: 13 11 26 - 24hrs

Transport/Fire Emergency: 000 (Emergency services)

Other Information

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions

encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below.

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Print Date: 6/12/2020 CS: 3.4.18