

Saraya Foam 3in1 Wash

Saraya Australia Pty Ltd

Version No: 2.7 Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 2

Issue Date: **05/07/2023** Print Date: **05/07/2023** L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Saraya Foam 3in1 Wash	
Synonyms	Not Available	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Foam Hand Wash

Details of the supplier of the safety data sheet

Registered company name	Saraya Australia Pty Ltd
Address	8 Northumberlund Drive Taren Point NSW 2229 Australia
Telephone	(02) 9542 7400
Fax	(02) 9542 7477
Website	www.saraya.com.au
Email	info-au@global.saraya.com

Emergency telephone number

Association / Organisation	Saraya Australia Pty Ltd
Emergency telephone numbers	1300 835 550
Other emergency telephone numbers	(02) 9542 7400

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max	1 1
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	2		1 = Low 2 = Moderate
Reactivity	0		3 = High
Chronic	2		4 = Extreme

Poisons Schedule	Not Applicable
Classification [1]	Eye Irritation Category 2A, Skin Sensitizer Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)



SIGNAL WORD

WARNING

 Chemwatch: 9-455063
 Page 2 of 9
 Issue Date: 05/07/2023

 Version No: 2.7
 Print Date: 05/07/2023

Saraya Foam 3in1 Wash

Hazard statement(s)

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

Precautionary statement(s) Prevention

P261	Avoid breathing mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary statement(s) Response

P363	Wash contaminated clothing before reuse.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
61789-40-0	<10	cocamidopropylbetaine
56-81-5	<10	glycerol
57-55-6	<10	propylene glycol
7647-14-5	<10	sodium chloride
122-99-6	<1	ethylene glycol phenyl ether
532-32-1	<1	sodium benzoate

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin irritation occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- Foam.
- ► Dry chemical powder.

 Chemwatch: 9-455063
 Page 3 of 9
 Issue Date: 05/07/2023

 Version No: 2.7
 Print Date: 05/07/2023

Saraya Foam 3in1 Wash

- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 Slight fire hazard when exposed to heat or flame. May emit acrid smoke. May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

HAZCHEM

Personal precautions, protective equipment and emergency procedures

Not Applicable

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Environmental hazard - contain spillage. In Remove all ignition sources. In Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Environmental hazard - contain spillage. Moderate hazard. Clear area of personnel and move upwind. Prevent, by any means available, spillage from entering drains or water course. Increase ventilation. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite. Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.
Other information	 Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	► Avoid reaction with oxidising agents

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Version No: 2.7

Saraya Foam 3in1 Wash

Issue Date: **05/07/2023**Print Date: **05/07/2023**

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	glycerol	Glycerin mist	10 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	propylene glycol	Propane-1,2-diol: particulates only	10 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	propylene glycol	Propane-1,2-diol total: (vapour & particulates)	150 ppm / 474 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
glycerol	Glycerine (mist); (Glycerol; Glycerin)	45 mg/m3	860 mg/m3	2,500 mg/m3
propylene glycol	Polypropylene glycols	30 mg/m3	330 mg/m3	2,000 mg/m3
propylene glycol	Propylene glycol; (1,2-Propanediol)	30 mg/m3	1,300 mg/m3	7,900 mg/m3
sodium chloride	Chloride; (Chloride(1-); Chloride ions)	0.5 ppm	2 ppm	20 ppm
ethylene glycol phenyl ether	Phenoxyethanol, 2-; (Phenyl cellosolve)	1.5 ppm	16 ppm	97 ppm
sodium benzoate	Benzoic acid, sodium salt	56 mg/m3	620 mg/m3	810 mg/m3

Ingredient	Original IDLH	Revised IDLH
cocamidopropylbetaine	Not Available	Not Available
glycerol	Not Available	Not Available
propylene glycol	Not Available	Not Available
sodium chloride	Not Available	Not Available
ethylene glycol phenyl ether	Not Available	Not Available
sodium benzoate	Not Available	Not Available

MATERIAL DATA

for propylene glycol:

Saturated vapour concentration @ 20 deg C.= 65.8 ppm, 204.6 mg/m3; i.e higher concentrations can only occur as aerosols or at higher temperatures.

Odour Threshold: Practically odourless.

A small number of individuals show skin irritation or sensitisation from repeated or prolonged exposure to propylene glycol. A workplace environmental exposure limit (WEEL) has been established by AIHA and is thought to be protective against systemic effects.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard 'physically' away from the worker and ventilation that strategically 'adds' and 'removes' air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.
Personal protection	Not Available
Eye and face protection	► Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]
Skin protection	See Hand protection below
Hands/feet protection	► Generally not required.
Body protection	See Other protection below
Other protection	Barrier cream. Skin cleansing cream. Eye wash unit.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear Pale Yellow Liquid		
Physical state	Liquid	Relative density (Water = 1)	1.02 - 1.05
Odour	Not Available	Partition coefficient n-octanol / water	Not Available

Chemwatch: 9-455063 Version No: 2.7

Page 5 of 9 Saraya Foam 3in1 Wash

Issue Date: **05/07/2023**Print Date: **05/07/2023**

Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Non Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.				
Ingestion	The material has NOT been classified by EC Directives or other classification corroborating animal or human evidence. The material may still be damaging pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of mortality rather than those producing morbidity (disease, ill-health). Gastrointe setting however, ingestion of insignificant quantities is not thought to be caus	to the health of harmful or toxi estinal tract disc	f the individual, ic substances a	following ingestion, especially where ire generally based on doses producing	
Skin Contact	Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. One of the mechanisms of skin irritation caused by surfactants is considered to be denaturation of the proteins of skin. It has also been established that there is a connection between the potential of surfactants to denature protein in vitro and their effect on the skin. Nonionic surfactants do not carry any net charge and, therefore, they can only form hydrophobic bonds with proteins. For this reason, proteins are not deactivated by nonionic surfactants, and proteins with poor solubility are not solubilized by nonionic surfactants				
Еуе	Evidence exists, or practical experience predicts, that the material may cause significant ocular lesions which are present twenty-four hours or more after in Repeated or prolonged eye contact may cause inflammation characterised by temporary impairment of vision and/or other transient eye damage/ulceration no Some nonionic surfactants may produce a localised anaesthetic effect on the context substances and lead to comeal injury. Irritant effects range from minimal to severe man	stillation into the temporary red hay occur.	ne eye(s) of exp dness (similar to ny effectively elin no the nature	erimental animals. windburn) of the conjunctiva (conjunctivitis); ninate the warning discomfort produced by other	
a	Practical experience shows that skin contact with the material is capable either	er of inducing a	concitication r		
Chronic	and/or of producing a positive response in experimental animals.	g u	i serisilisaliori i	eaction in a substantial number of individuals,	
Chronic		., oaaag a	i serisilisalioi i i	action in a substantial number of individuals,	
		IRRITATION		aaction in a substantial number of individuals,	
Chronic Saraya Foam 3in1 Wash	and/or of producing a positive response in experimental animals.		l	eaction in a substantial number of individuals,	
	and/or of producing a positive response in experimental animals. TOXICITY Not Available	IRRITATION Not Available	3	paction in a substantial number of individuals,	
Saraya Foam 3in1 Wash	and/or of producing a positive response in experimental animals. TOXICITY Not Available TOXICITY	IRRITATION Not Available	RRITATION		
	and/or of producing a positive response in experimental animals. TOXICITY Not Available	IRRITATION Not Available	RRITATION	tant *	
Saraya Foam 3in1 Wash	and/or of producing a positive response in experimental animals. TOXICITY Not Available TOXICITY	IRRITATION Not Available	RRITATION	tant *	
Saraya Foam 3in1 Wash	and/or of producing a positive response in experimental animals. TOXICITY Not Available TOXICITY	IRRITATION Not Available	RRITATION	tant *	
Saraya Foam 3in1 Wash	and/or of producing a positive response in experimental animals. TOXICITY Not Available TOXICITY Oral (rat) LD50: 2700 mg/kg ^[2]	IRRITATION Not Available	RRITATION	tant *	

Chemwatch: 9-455063 Version No: 2.7

Saraya Foam 3in1 Wash

Issue Date: 05/07/2023 Print Date: 05/07/2023

	l					
propylene glycol	TOXICITY	IRRITATION				
	Dermal (rabbit) LD50: 11890 mg/kg ^[2]	Eye (rabbit): 100	Eye (rabbit): 100 mg - mild			
	Oral (rat) LD50: 20000 mg/kg ^[2]	Eye (rabbit): 500	Eye (rabbit): 500 mg/24h - mild			
		Skin(human):104	Skin(human):104 mg/3d Intermit Mod			
		Skin(human):500	mg/7days m	ild		
	TOXICITY	IRRITATION				
sodium chloride	Dermal (rabbit) LD50: >10000 mg/kg ^[1]	Eye (rabbit): 1	Eye (rabbit): 10 mg - moderate			
sodium chioride	Oral (rat) LD50: 3000 mg/kg ^[2]	Eye (rabbit):10	00 mg/24h - r	moderate		
		Skin (rabbit):	500 mg/24h -	mild		
	TOXICITY	IRRITATION	ITATION			
	dermal (rat) LD50: 14422 mg/kg ^[2]	Eye (rabbit): 250 u	ve (rabbit): 250 ug/24h - SEVERE			
ethylene glycol phenyl ether	Oral (rat) LD50: 1260 mg/kg ^[2]	Eye (rabbit): 6 mg	Eye (rabbit): 6 mg - moderate			
		Skin (rabbit): 500 mg/24h - mild				
		'				
	TOXICITY		IR	RRITATION		
sodium benzoate	Oral (rat) LD50: ~4.07 mg/kg ^[1]			ot Available		
	, , , ,					
Legend:	Value obtained from Europe ECHA Registered Substances - Act data extracted from RTECS - Register of Toxic Effect of chemical		from manufa	cturer's SDS. Unless otherwise specified		
Saraya Foam 3in1 Wash	The material may cause skin irritation after prolonged or repeated often characterised by skin redness (erythema) and swelling the eq (spongiosis) and intracellular oedema of the epidermis.					
Acute Toxicity	0	Carcinogenicity	0			
Skin Irritation/Corrosion	0	Reproductivity	0			
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	0			
Respiratory or Skin sensitisation	✓ s	TOT - Repeated Exposure	0			
Mutagenicity	0	Aspiration Hazard	0			

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data available to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

ty										
	ENDPOINT	TEST DURATION (HR)			SPECIES		VALUE	SOU		URCE
Saraya Foam 3in1 Wash	Not Available		Not Available		Not Ava	ailable	Not Availa	le Not Available		vailable
	ENDPOINT	TEC	PT DUD ATION (UD)	CDEC	F0			VALUE		SOURCE
	LC50	TEST DURATION (HR) 96		Fish	SPECIES Fish			=1mg/L		1
cocamidopropylbetaine	EC50	48		Crusta	Crustacea			=6.5mg/L		1
cocamidopropyibetaine	EC50	96		Algae	Algae or other aquatic plants			=0.55mg/L		1
	EC0	96		Algae	Algae or other aquatic plants		=0.09mg/L		1	
	NOEC	504		Crusta	Crustacea			=0.9mg/L		1
ahraaval	ENDPOINT		TEST DURATION (HR)			SPECIES VAL		UE SO		URCE
glycerol	LC50		96			Fish	>11	mg/L 2		
	ENDPOINT	TES	T DURATION (HR)	SPECII	SPECIES		VALUE		SOURCE	
propylene glycol	LC50	96	96		Fish			710mg/L		4
	EC50	48	48		Crustacea			>1000mg/L		4
	EC50	96	96		Algae or other aquatic plants			19000mg/L		2
	NOEC	168	168		Fish			98mg/L		4

Chemwatch: 9-455063 Page 7 of 9 Issue Date: 05/07/2023
Version No: 2.7

Saraya Foam 3in1 Wash

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Propylene glycol is known to exert high levels of biochemical oxygen demand (BOD) during degradation in surface waters. This process can adversely affect aquatic life by consuming oxygen needed by aquatic organisms for survival. Large quantities of dissolved oxygen (DO) in the water column are consumed when microbial populations decompose propylene glycol. Sufficient dissolved oxygen levels in surface waters are critical for the survival of fish, macro-invertebrates, and other aquatic organisms. If oxygen concentrations drop below a minimum level, organisms emigrate, if able and possible, to areas with higher oxygen levels or eventually die. This effect can drastically reduce the amount of usable aquatic habitat. Reductions in DO levels can reduce or eliminate bottom-feeder populations, create conditions that favour a change in a community's species profile, or alter critical food-web interactions.

log Kow:-1.41--0.3 Half-life (hr) air: 32 Henry's atm m3 /mol: 1.20E-08 BOD 5: 0.995,2.2%

BOD 5: 0.995,2.2% ThOD : 1.685 BCF : <1

Bioaccumulation: not sig processes Abiotic: photoxid

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
glycerol	LOW	LOW
propylene glycol	LOW	LOW
sodium chloride	LOW	LOW
ethylene glycol phenyl ether	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
glycerol	LOW (LogKOW = -1.76)
propylene glycol	LOW (BCF = 1)
sodium chloride	LOW (LogKOW = 0.5392)
ethylene glycol phenyl ether	LOW (LogKOW = 1.16)

Mobility in soil

Ingredient	Mobility
glycerol	HIGH (KOC = 1)
propylene glycol	HIGH (KOC = 1)
sodium chloride	LOW (KOC = 14.3)
ethylene glycol phenyl ether	LOW (KOC = 12.12)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

- ► Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.

Legislation addressing waste disposal requirements may differ by country, state and/or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

Product / Packaging disposal

- ▶ Reduction▶ Reuse
- ▶ Recycling
- ► Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- Recycle wherever possible or consult manufacturer for recycling options.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Sarava Foam 3in1 Wash

Issue Date: **05/07/2023**Print Date: **05/07/2023**

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Version No. 2.7

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

COCAMIDOPROPYLBETAINE(61789-40-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

GLYCEROL(56-81-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

PROPYLENE GLYCOL(57-55-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix B (Part 3)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix F (Part 3)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

SODIUM CHLORIDE(7647-14-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

ETHYLENE GLYCOL PHENYL ETHER(122-99-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix F (Part 3) $\,$

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix
E (Part 2)

Australia Standard for the

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

SODIUM BENZOATE(532-32-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory Status

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	N (sodium benzoate; propylene glycol; glycerol; ethylene glycol phenyl ether; sodium chloride; cocamidopropylbetaine)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	N (cocamidopropylbetaine)
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Y
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	10/07/2018
Initial Date	10/07/2018

Other information

Ingredients with multiple cas numbers

Name	CAS No	
cocamidopropylbetaine	61789-40-0, 83138-08-3, 86438-79-1, 97862-59-4	
glycerol	56-81-5, 29796-42-7, 30049-52-6, 37228-54-9, 75398-78-6, 78630-16-7, 8013-25-0, 8043-29-6, 1400594-62-8	
sodium chloride	7647-14-5, 14762-51-7, 16887-00-6	
ethylene glycol phenyl ether	122-99-6, 37220-49-8, 134367-25-2, 18249-17-7, 200260-63-5, 79586-53-1, 9004-78-8, 56257-90-0, 1219804-65-5	

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

 Chemwatch: 9-455063
 Page 9 of 9
 Issue Date: 05/07/2023

 Version No: 2.7
 Print Date: 05/07/2023

Saraya Foam 3in1 Wash

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC — TWA: Permissible Concentration-Time Weighted Average PC — STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.